

ISO 9001 CO

Estb.1983

SB Vertical Sump Pumps

VSP SERIES















SB VERTICAL SUMP PUMP

All SB Vertical Sump pumps are designed specifically for wide applications and use and feature robust design with ease of maintenance. The SB - VSP sump pump range is one of the strongest, toughest and most reliable pumps in the market.

The SB - VSP pumps are easy to install, The materials used are the very best available, providing both excellent wear properties and corrosion resistance. Wear parts are available in a variety of different materials and fully interchangeable. Semi-open, vortex, fully recessed vortex and closed impellers are available to suit your pumping needs.

The wet-end parts are designed for the toughest applications and the longest wear life. The single volute and generous solids passages through the pump ensure a safe and clogless operation. The wet-end assembly is suspended from a tubular column below the bearing housing. Standard pumps are supplied with wide choice of material.

Ranges:-

- •Head upto 80 Mtr.
- •Discharge up to 1000M3/Hr.
- Suspension depth upto 6mtr.
- •Temperature (-)30Deg. To (+)180 Deg.
- •Speed 1450/2900 RPM.

Application:-

Dewatering
Sump Drainage
Mill scale
Sewage stations
Hazardous, Toxic
Inflammable liquid
Clear water

Corrossive liquid Intakewell Boiler Blow down Coal dust and coal pits Slurry pumping Industrial Process Pollution control.

Manufactured by:




SB PUMP INDUSTRIES

30 INDUSTRIAL AREA, RICHHAI JABALPUR 482010 (M.P.) INDIA Tele/Fax - +91 761 2331485,2330221 Web site - www.sbpumpsindia.com

E-mail – info@sbpumpsindia.com



General Cross section view of SB Vertical Sump Pump





Installation Drawing of Vertical Sump Pump

